



THIS ANNOUNCEMENT CONTAINS INSIDE INFORMATION FOR THE PURPOSES OF ARTICLE 7 OF THE MARKET ABUSE REGULATION (596/2014/EU) AS THE SAME HAS BEEN RETAINED IN UK LAW AS AMENDED BY THE MARKET ABUSE (AMENDMENT) (EU EXIT) REGULATIONS (SI 2019/310). UPON THE PUBLICATION OF THIS ANNOUNCEMENT, THIS INSIDE INFORMATION IS NOW CONSIDERED TO BE IN THE PUBLIC DOMAIN.

NOT FOR RELEASE, PUBLICATION OR DISTRIBUTION IN WHOLE OR IN PART, DIRECTLY OR INDIRECTLY IN, INTO OR FROM ANY JURISDICTION WHERE TO DO SO WOULD CONSTITUTE A VIOLATION OF THE RELEVANT LAWS OR REGULATIONS OF SUCH JURISDICTION.

Trading Symbols

AIM: UFO

FWB: I3A1

24 September 2025

**Alien Metals Limited
("Alien" or the "Company")**

Additional High-Grade Silver Intercepts & Phase 2 Drilling Contract Awarded at Elizabeth Hill

Alien Metals Limited (AIM: UFO), a minerals exploration and development company, is pleased to report that its joint venture partner, West Coast Silver Limited (ASX: WCE) ("West Coast Silver") has awarded the Phase 2 drill contract at the Elizabeth Hill Silver Project ("Elizabeth Hill" or the "Project") to Wallis Drilling Pty Ltd ("Wallis Drilling") and reported further high-grade silver intercepts from its inaugural diamond programme at Elizabeth Hill in the Pilbara region of Western Australia. The Project, in which Alien retains a 30% free-carried interest through to a decision to mine, is operated by WCE.

Highlights:

- Phase 2 drilling contract awarded to Wallis Drilling (approximately 1,000m diamond, 2,000–3,000m air core)
- Drilling will consist of a combination of diamond and air core drilling, with multiple objectives targeted
- Programme to test near-surface mineralisation, potential depth extensions and step-out targets
- WCE's integrated geological team, including ERM Consultants, is currently finalising defined drill targets which will further refine the drill programme
- Imminent TEM and magnetic surveys to feed into the targeting process
- Drilling will commence in approximately 4-6 weeks
- Assays from drill hole 25WCDD008 have identified further high-grade silver mineralisation zones including:
 - 6 metres at 316g/t Ag from 44 metres; including
 - 1.4 metres at 1,007g/t Ag from 45 metres
 - 21 metres at 50g/t Ag from 20 metres
- 25WCDD010 has also intersected high-grade silver mineralisation including:

- 3.4 metres at 219g/t Ag from 63 metres
- Low grade silver mineralisation has also been intercepted in 25WCDD005 at both 165m and 171m on structures associated with the Munni Munni Fault
- These intervals demonstrate mineralisation is hosted in subsidiary structures related to the main Elizabeth Hill mineralisation event. These intercepts are well below the historical workings, which was suspended at the 102m level in 2000 due to declining silver prices

Belinda Murray, Executive Director, commented:

“We are very encouraged by these latest high grade silver intercepts from Elizabeth Hill which supports the potential to grow the mineralised footprint around the historical mine. The decision to award the Phase 2 drill programme is welcome as it will focus on additional near-surface targets and step-outs, alongside the existing high grade silver intercepts. With WCE funding and operating the work programme, Alien maintains strong exposure to silver upside while preserving our balance sheet.”

West Coast Silver has received further high-grade silver intercepts from the inaugural diamond drill programme (12 holes for 1,183m) at the high-grade Elizabeth Hill. The Company has received the remainder of assay results for six drill holes (25WCDD005, 25WCDD006, 25WCDD007, 25WCDD008, 25WCDD009 and 25WCDD010) for the inaugural drilling programme. From the six drill holes, further high-grade silver results were returned for 25WCDD008 and 25WCDD010 (**Figure 1** and **Figure 2**).

Both holes intersected silver mineralisation from near surface (**Table 2**), with particularly impressive results from hole 25WCDD008 including:

- 6 metres at 316g/t Ag from 44 metres
 - with 1.4 metres at 1,007g/t Ag from 45 metres
- 21 metres at 50g/t Ag from 20 metres

Hole 25WCDD010 intersected:

- 3.4 metres at 219g/t Ag from 63 metres

These assay results build on the previously announced (West Coast Silver ASX announcements dated 16 July 2025 and 22 August 2025) near surface results, including 25WCDD001, which intersected:

- 21 metres at 1,047g/t from 10 metres including
 - 8 metres at 2,632g/t Ag from 22 metres, including a spectacular interval of 1 metre at 15,071g/t Ag from 27 metres.

Drill hole 25WCDD002 intersected:

- 15 metres at 723g/t Ag from 1 metre including:
 - 3 metres at 2,639g/t Ag from 1 metre.

Drill hole 25WCDD011 which intersected:

- 17 metres at 858g/t Ag from 5 metres including:
 - 2 metres at 6,349g/t Ag from 7 metres;
- 10 metres at 850g/t Ag from 47 metres and
- 13 metres at 1,615g/t Ag from 62 metres
 - including 2 metres at 10,049g/t Ag from 63 metres.

Drill hole 25WCDD012 also returned significant high-grade silver intercepts including:

- 6 metres at 317g/t Ag from 10 metres including:
 - 1m at 1,455g/t Ag from 13 metres; and,
- 14 metres at 162g/t Ag from 18 metres.

Drill hole 25WCDD007 was completed as a scissor test to validate the near surface oxide mineralisation intersected in historical drill hole, EC085, that contained 18 metres at 581g/t Ag from 12 metres (West Coast Silver ASX announcement dated 16 July 2025). While recent drill hole 25WCDD007 intersected 12metres at 42g/t Ag from 15 metres and 1 metre at 121g/t Ag from 30 metres (**Table 1**), it confirmed the thickness but highlighted the nuggety grade distribution of the silver mineralisation in the oxide zone.

Drill hole 25WCDD009 was designed to test the down plunge extent of the near surface, oxide mineralisation between 25-30m vertically above the historical workings and intersected 4 metres at 66g/t Ag from 45 metres in the interpreted position of the Munni Munni Fault.

Drill holes 25WCDD005 and 25WCDD006 intersected minor silver intervals above a 25g/t Ag cut-off (**Table 1**) despite still intersecting structures containing quartz-carbonate breccias and veins below the historical Elizabeth Hill mine workings. This provides further support to the Company's interpretation that silver mineralisation plunges to the south within the Munni Munni Fault.

Table 1 – Significant Silver Intercept Table from recent drilling

Hole Number	Interval (m)	Ag (g/t)	From (m)
25WCDD005	1.0	26	165
25WCDD005	0.3	26	171
25WCDD006	NSI	-	-
25WCDD007	12.0	42	15
25WCDD007	1.0	121	30
25WCDD008	21.0	50	20
25WCDD008	6.0	316	44
including	1.4	1,007	45
25WCDD008	2.0	55	57
25WCDD009	1.0	25	22
25WCDD009	1.0	60	36
25WCDD009	0.5	104	39.25
25WCDD009	4.0	66	45
25WCDD010	3.4	219	63

Note: 25g/t Ag cut-off; NSI = No significant intersection




Figure 1 – Plan view of 2025 West Coast Silver diamond core drilling and historical drilling




Figure 2 – Elizabeth Hill long section with recent drill holes 25WCDD005 - 25WCDD010

Notes: Long Section line A' looking ESE; refer to Figure 1 for location

Near surface mineralisation assessment

The shallow high-grade nature of these drill results gives the Company confidence in the near surface potential of Elizabeth Hill. The Company continues to work with ERM to carry out a comprehensive analysis of all historical drilling at Elizabeth Hill with a view to assess the extent of near surface mineralisation at Elizabeth Hill. This process will include any QA/QC checks required to ensure all historical data is of sufficient quality to be reported from a JORC 2012 perspective.

Inaugural Drilling Update

Twelve diamond holes have been completed at Elizabeth Hill totalling 1,183 metres of drilling. Laboratory assay results have been received for the 12 diamond holes with the final six holes reported in this release.

Elizabeth Hill Silver Project Overview

Elizabeth Hill, one of Australia's highest-grade silver projects, has a proven production history outlined below:

- High grades enable low processing tonnes: 1.2Moz of silver was produced from just 16,830t of ore at a head grade of 2,194g/t (70.5 oz/t Ag)¹
- Previous mining operation ceased abruptly in 2000 because of low silver prices (US\$5/oz)² and a dispute between previous joint venture parties
- Simplistic historical processing technique: native silver was recovered via low-cost gravity separation due to high grades and large silver nugget sizing
- Significant untapped potential remains in and around the historic mine site, with limited, outdated drilling and geophysics deployed
- Tier-1 mining jurisdiction – located on a mining lease with processing facilities adjacent at the nearby Radio Hill




Figure 3 - Tenement Location

¹ WAMEX Annual Report, 1 April 2014 to 31 March 2015, Elizabeth Hill Silver Project, Global Strategic Metals NL, p16

² www.kitco.com/charts/silver

Through the consolidation of the surrounding land packages into a single contiguous 180km² package, significant exploration and growth potential exists both near mine and regionally. The land package holds a significant portion of the Munni Munni fault system, and other fault systems subparallel to the Munni Munni fault system, which are considered prospective for Elizabeth Hill look-a-like silver deposits.

Competent Person's Statement

The information in this announcement that relates to Exploration Results is based on information reviewed by Mr Max Nind who is a Member of the Australian Institute of Geoscientists. Mr Nind is a consultant to Alien and a full time employee of ERM Australia Consultants Pty Ltd.

Mr Nind has sufficient experience that is relevant to the style of mineralisation and type of deposits under consideration, and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves', and a Specialist under the VALMIN Code 2015 Edition of the 'Australasian Code for Public Reporting of Technical Assessments and Valuations of Mineral Assets'. Mr Nind consents to the inclusion in the announcement of the matters based on this information and in the form and context in which it appears.

For further information, please visit the Company's website at www.alienmetals.uk or contact:

Strand Hanson (Financial and Nominated Adviser)

James Harris / James Dance / Edward Foulkes

Tel: +44 (0) 207 409 3494

Zeus Capital Limited (Joint Broker)

Harry Ansell / Katy Mitchell

Tel +44 (0) 203 829 5000

Turner Pope (Joint Broker)

Andy Thacker / James Pope

Tel: +44 (0) 203 657 0050

CMC Markets (Joint Broker)

Douglas Crippen

Tel: +44 (0) 203 003 8632

Yellow Jersey (Financial PR)

Charles Goodwin / Shivantha Thambirajah

Tel: +44 (0) 203 004 9512

Notes to Editors

Alien Metals Ltd is a mining exploration and development company listed on the AIM market of the London Stock Exchange (AIM: UFO). The Company's focus is on delivering a profitable direct shipping iron ore operation from its 90% Hancock iron ore project in the central Pilbara region of Western Australia. The Hancock tenements currently contain a JORC-compliant resource of 8.4Mt iron ore @ 60% Fe and offers significant exploration upside which is targeted to deliver a mining operation of 2Mtpa for 10 years.

These Hancock Project tenements have direct access to the Great Northern Highway, which provides an essential export route to export facilities at Port Hedland, from where more than 500Mt of iron ore is exported annually (30% of global production). The Company also has an interest in two iron ore exploration projects Brockman and Vivash, located in the West Pilbara.

The Company owns one of Australia's largest PGM deposits, Munni Munni which hosts a deposit containing a historic resource of 2.2Moz PGM (Palladium, Platinum, and Rhodium) and Gold. The Company has recently entered into a joint venture with West Coast Silver Limited (formerly Errawarra Resources Limited) for the

development of the Elizabeth Hill Silver Project, located near Karratha in the Pilbara, which consists of the Elizabeth Hill Mining Lease and exploration tenements surrounding the historical silver mine which has produced some of Australia's highest-grade silver ore during the late 1990s.

Appendix 1 – Elizabeth Hill Diamond Drill Collar Locations

Hole ID	Easting (m)	Northing (m)	RL (mASL)	Azi (°)	Dip (°)	EOH (m)
25WCDD005	486972	7667906	79	140	65	171.3
25WCDD006	487090	7667909	84	250	57	192.41
25WCDD007	487004	7667937	79	110	55	60.3
25WCDD008	487003	7667936	79	130	62	63.3
25WCDD009	487037	7667918	80	265	65	60.1
25WCDD010	487037	7667918	80	250	72	66.4

Note: Coordinate system is MGA 94 Zone 50

Appendix 2 – Elizabeth Hill Diamond Drill Assay Results

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD005	13	14	1.00	0.19	0.01	0.00354	539	54
25WCDD005	14	15	1.00	0.25	0.01	0.0035	37.4	45
25WCDD005	15	16	1.00	0.61	0.01	0.00297	52.4	42
25WCDD005	16	17	1.00	1.01	0.01	0.00334	106	24
25WCDD005	17	18	1.00	1.32	0.01	0.00583	1605	29
25WCDD005	18	19	1.00	6.39	0.01	0.00623	10000*	59
25WCDD005	19	20	1.00	19.2	0.04	0.119	10000*	287
25WCDD005	20	21	1.00	7.01	0.03	0.0635	10000*	75
25WCDD005	21	22	1.00	3.75	0.01	0.0108	878	71
25WCDD005	22	23	1.00	3.49	0.01	0.00421	343	45
25WCDD005	23	24	1.00	2.2	ND	0.00592	1410	68
25WCDD005	24	25	1.00	1.92	0.01	0.00438	251	64
25WCDD005	35	36	1.00	0.71	0.01	0.00342	18.6	32
25WCDD005	36	37	1.00	2.92	0.01	0.00752	24.5	62
25WCDD005	37	38	1.00	4.23	ND	0.011	63.4	128
25WCDD005	38	39	1.00	2.73	ND	0.00731	80.1	91
25WCDD005	39	40	1.00	2.08	0.01	0.00721	74.4	62
25WCDD005	40	41	1.00	1.64	0.01	0.00497	73.5	35
25WCDD005	41	42	1.00	1.48	0.01	0.00209	101	41
25WCDD005	42	43	1.00	1.46	0.01	0.00256	58.5	69
25WCDD005	43	44	1.00	0.9	0.01	0.00148	46.8	34
25WCDD005	44	45	1.00	0.82	0.01	0.00255	1010	24
25WCDD005	45	46	1.00	0.53	0.01	0.00194	138	21
25WCDD005	46	47	1.00	0.26	ND	0.00135	17.6	38
25WCDD005	47	48	1.00	1.08	ND	0.00243	76.4	52
25WCDD005	48	49	1.00	1.35	0.01	0.00174	84.6	45
25WCDD005	49	50	1.00	0.56	ND	0.00317	62.8	33
25WCDD005	50	51	1.00	0.31	ND	0.00196	68	20
25WCDD005	51	52	1.00	0.31	ND	0.00171	22.4	12
25WCDD005	52	53	1.00	0.31	ND	0.00097	31	17
25WCDD005	53	54	1.00	0.23	0.01	0.00254	41.8	21
25WCDD005	54	55	1.00	0.54	ND	0.0117	226	385
25WCDD005	55	56	1.00	0.06	0.01	0.00096	25.1	64
25WCDD005	56	57	1.00	0.34	ND	0.00136	44.7	72
25WCDD005	57	58	1.00	0.25	ND	0.00252	48.6	67
25WCDD005	58	59	1.00	0.27	ND	0.00318	48.5	75

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD005	59	60	1.00	1.11	0.01	0.00366	84.2	67
25WCDD005	60	61	1.00	0.18	0.01	0.00093	44.3	38
25WCDD005	61	62	1.00	0.11	ND	0.00087	25.9	47
25WCDD005	62	63	1.00	0.46	ND	0.00164	19.4	27
25WCDD005	63	64	1.00	0.7	ND	0.00311	74.6	40
25WCDD005	64	65	1.00	1.02	ND	0.00152	3490	38
25WCDD005	65	66	1.00	2.57	ND	0.00202	2940	48
25WCDD005	66	67	1.00	0.38	ND	0.00271	2600	31
25WCDD005	67	68	1.00	0.22	ND	0.00227	103.5	44
25WCDD005	68	69	1.00	0.06	ND	0.00179	51.1	55
25WCDD005	69	70	1.00	0.51	ND	0.00838	106	66
25WCDD005	70	71	1.00	0.16	0.01	0.00253	46.7	30
25WCDD005	71	72	1.00	0.1	ND	0.00075	66.1	14
25WCDD005	72	73	1.00	0.09	0.01	0.00068	66.9	15
25WCDD005	73	74	1.00	0.08	0.01	0.00031	74.1	13
25WCDD005	74	75	1.00	0.07	ND	0.00031	89.2	14
25WCDD005	75	76	1.00	0.09	ND	0.00025	96.6	16
25WCDD005	76	77	1.00	0.09	ND	0.00069	88.1	15
25WCDD005	77	78	1.00	0.06	ND	0.00028	61.9	12
25WCDD005	78	79	1.00	0.07	ND	0.00057	51.4	14
25WCDD005	79	80	1.00	0.07	ND	0.00023	42.4	12
25WCDD005	80	81	1.00	0.09	0.01	0.00024	35.6	8
25WCDD005	81	82	1.00	0.1	ND	0.00265	23.8	8
25WCDD005	82	83	1.00	0.12	0.01	0.00058	9.9	25
25WCDD005	83	84	1.00	0.09	ND	0.00044	17.3	23
25WCDD005	84	85	1.00	0.23	ND	0.00294	102	100
25WCDD005	85	86	1.00	0.13	ND	0.00265	100.5	84
25WCDD005	86	87	1.00	0.14	ND	0.0024	63	91
25WCDD005	87	88	1.00	0.1	0.01	0.00226	54.2	89
25WCDD005	88	89	1.00	0.05	ND	0.00085	39	45
25WCDD005	89	90	1.00	0.08	0.01	0.0019	24.9	45
25WCDD005	90	91	1.00	0.14	0.01	0.00177	24.3	44
25WCDD005	91	92	1.00	0.26	ND	0.00203	85.4	60
25WCDD005	92	93	1.00	0.32	ND	0.00234	129	46
25WCDD005	93	94	1.00	0.32	ND	0.00142	146.5	24
25WCDD005	101	102	1.00	0.17	ND	0.00273	35.8	47
25WCDD005	102	103	1.00	0.18	ND	0.00164	1645	12
25WCDD005	103	104	1.00	0.33	ND	0.00232	1715	40
25WCDD005	104	105	1.00	0.36	0.01	0.00276	93.8	23
25WCDD005	105	106	1.00	0.92	ND	0.0018	49.1	51
25WCDD005	111	112	1.00	0.42	ND	0.0008	108.5	30
25WCDD005	112	113	1.00	3.74	ND	0.00057	10000*	91
25WCDD005	113	114	1.00	0.18	ND	0.00116	139.5	42
25WCDD005	114	115	1.00	0.21	ND	0.00134	53.8	36
25WCDD005	115	116	1.00	0.38	ND	0.00339	110	42
25WCDD005	116	117	1.00	0.64	ND	0.00285	4890	28
25WCDD005	117	118	1.00	0.69	ND	0.00096	1720	29

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD005	118	119	1.00	0.38	ND	0.00126	812	14
25WCDD005	119	120	1.00	0.55	ND	0.00068	2140	25
25WCDD005	120	121	1.00	0.3	ND	0.00097	306	14
25WCDD005	121	122	1.00	0.17	ND	0.0006	74	15
25WCDD005	122	123	1.00	0.14	ND	0.00052	46.3	18
25WCDD005	123	124	1.00	0.99	ND	0.00118	111.5	51
25WCDD005	124	125	1.00	0.33	0.01	0.00039	1065	14
25WCDD005	125	126	1.00	0.1	0.01	0.00034	87.6	18
25WCDD005	126	127	1.00	1.17	0.01	0.00081	2590	22
25WCDD005	127	128	1.00	0.73	0.01	0.00114	2810	13
25WCDD005	128	129	1.00	0.12	ND	0.00045	43.7	14
25WCDD005	129	130	1.00	0.11	ND	0.00086	36.1	16
25WCDD005	130	131	1.00	0.96	ND	0.0018	96.2	22
25WCDD005	131	132	1.00	0.87	ND	0.00156	137.5	21
25WCDD005	132	133	1.00	3.13	ND	0.00269	140	30
25WCDD005	133	134	1.00	0.64	ND	0.00056	32.7	10
25WCDD005	134	135	1.00	0.4	0.01	0.00168	39.1	8
25WCDD005	135	137	2.00	3.16	ND	0.00083	48.8	19
25WCDD005	137	138	1.00	5.23	ND	0.00134	170	16
25WCDD005	138	139	1.00	2.97	ND	0.00322	60.2	55
25WCDD005	139	140	1.00	3.62	0.01	0.0251	137	166
25WCDD005	140	141	1.00	2.3	ND	0.065	330	567
25WCDD005	141	142	1.00	2.7	ND	0.0609	336	472
25WCDD005	142	143	1.00	1.88	ND	0.0206	155	190
25WCDD005	143	144	1.00	2.03	ND	0.0185	44.4	203
25WCDD005	144	145	1.00	3.29	ND	0.0237	92	273
25WCDD005	145	146	1.00	1.23	ND	0.01425	25.4	220
25WCDD005	146	147	1.00	1.03	ND	0.01045	79.2	195
25WCDD005	147	148	1.00	0.41	0.01	0.00945	21.3	96
25WCDD005	148	149	1.00	0.5	ND	0.012	32.7	88
25WCDD005	149	150	1.00	0.5	ND	0.0118	5.2	82
25WCDD005	150	151	1.00	0.73	ND	0.0189	4.1	87
25WCDD005	151	152	1.00	0.35	ND	0.00723	4.2	80
25WCDD005	152	153	1.00	0.99	0.01	0.0205	6.7	81
25WCDD005	153	154	1.00	0.56	ND	0.01415	3.1	85
25WCDD005	154	155	1.00	0.38	ND	0.00826	7.5	75
25WCDD005	155	156	1.00	0.51	ND	0.0108	12.2	82
25WCDD005	156	157	1.00	0.51	ND	0.01135	9.5	81
25WCDD005	157	158	1.00	0.63	ND	0.01225	10.8	91
25WCDD005	158	159	1.00	1.15	ND	0.022	5.1	89
25WCDD005	159	160	1.00	0.43	ND	0.01595	12.2	89
25WCDD005	160	161	1.00	0.98	ND	0.01255	71.1	100
25WCDD005	161	162	1.00	2.37	0.01	0.0646	78.5	234
25WCDD005	162	163	1.00	1.38	ND	0.0323	124	96
25WCDD005	163	164	1.00	15.15	0.01	0.392	13.6	164
25WCDD005	164	165	1.00	1.61	ND	0.0457	25.3	96
25WCDD005	165	166	1.00	26.3	0.01	0.739	14.8	119

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD005	166	167	1.00	3	0.01	0.0858	8.5	73
25WCDD005	167	168	1.00	3.95	ND	0.0772	13.2	88
25WCDD005	168	169	1.00	2.42	0.01	0.0569	18.6	98
25WCDD005	169	170	1.00	8.13	ND	0.1545	17.4	130
25WCDD005	170	171	1.00	14.05	ND	0.1705	203	407
25WCDD005	171	171.3	0.30	25.8	ND	0.173	171.5	138
25WCDD006	38.00	39.00	1.00	0.55	0.01	0.0513	297	92
25WCDD006	39.00	40.00	1.00	0.32	ND	0.0305	9.7	81
25WCDD006	40.00	41.00	1.00	0.16	ND	0.0114	6.5	81
25WCDD006	41.00	42.00	1.00	0.33	0.01	0.0378	4.6	98
25WCDD006	42.00	43.00	1.00	0.68	0.01	0.1355	7.1	85
25WCDD006	43.00	44.00	1.00	1.33	0.02	0.3410	9.7	94
25WCDD006	44.00	45.00	1.00	0.96	0.02	0.1825	15	71
25WCDD006	45.00	46.00	1.00	0.47	0.01	0.1260	13.8	57
25WCDD006	46.00	47.00	1.00	0.5	0.01	0.1255	21.7	70
25WCDD006	47.00	48.00	1.00	0.81	0.02	0.1320	21.3	76
25WCDD006	48.00	49.00	1.00	0.08	ND	0.0060	19.6	32
25WCDD006	49.00	50.00	1.00	0.05	ND	0.0026	8.8	32
25WCDD006	50.00	51.00	1.00	0.05	ND	0.0030	12	42
25WCDD006	51.00	52.00	1.00	0.03	ND	0.0005	44.9	9
25WCDD006	64.00	65.00	1.00	0.14	ND	0.0125	9.2	49
25WCDD006	65.00	65.50	0.50	1.51	ND	0.1700	28.3	44
25WCDD006	65.50	66.00	0.50	0.04	ND	0.0018	10	39
25WCDD006	91.00	92.00	1.00	0.02	ND	0.0007	15.4	40
25WCDD006	92.00	93.00	1.00	0.05	ND	0.0030	24.5	47
25WCDD006	93.00	94.00	1.00	0.15	0.01	0.0138	27.4	98
25WCDD006	94.00	95.00	1.00	0.85	0.01	0.0310	967	673
25WCDD006	95.00	95.50	0.50	8.61	0.01	0.1650	10000*	3450
25WCDD006	95.50	96.00	0.50	0.08	0.01	0.0017	75.7	53
25WCDD006	96.00	97.00	1.00	0.1	0.01	0.0033	12.7	27
25WCDD006	97.00	98.00	1.00	0.19	ND	0.0033	19.4	27
25WCDD006	98.00	99.00	1.00	0.28	ND	0.0047	99.5	80
25WCDD006	99.00	100.00	1.00	0.25	0.01	0.0044	16.6	72
25WCDD006	100.00	101.00	1.00	9.95	ND	0.0025	56.4	76
25WCDD006	101.00	102.00	1.00	2.06	0.01	0.0019	30.5	79
25WCDD006	102.00	103.00	1.00	0.36	ND	0.0023	14.8	91
25WCDD006	103.00	104.00	1.00	0.71	ND	0.0011	16	50
25WCDD006	104.00	105.00	1.00	0.07	0.01	0.0008	16.2	43
25WCDD006	105.00	106.00	1.00	0.15	ND	0.0026	14	47
25WCDD006	106.00	107.00	1.00	0.31	0.01	0.0016	60.6	84
25WCDD006	107.00	108.00	1.00	0.36	ND	0.0016	15.8	72
25WCDD006	108.00	109.00	1.00	1.07	0.01	0.0014	12.8	80
25WCDD006	109.00	109.50	0.50	0.87	ND	0.0010	35.4	176
25WCDD006	109.50	110.50	1.00	5.04	0.01	0.0004	240	176
25WCDD006	110.50	111.50	1.00	0.81	0.01	0.0022	33.5	78
25WCDD006	111.50	112.50	1.00	0.97	0.01	0.0018	238	69
25WCDD006	112.50	113.00	0.50	0.11	0.01	0.0010	48.5	55

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD006	124.00	125.00	1.00	1.02	ND	0.0004	374	37
25WCDD006	136.00	137.00	1.00	0.3	0.01	0.0022	20.5	47
25WCDD006	137.00	138.00	1.00	0.28	ND	0.0034	13.3	45
25WCDD006	138.00	139.00	1.00	1.61	ND	0.0070	151.5	164
25WCDD006	139.00	140.00	1.00	4.52	0.01	0.0085	161	163
25WCDD006	140.00	141.00	1.00	0.86	0.01	0.0008	200	42
25WCDD006	141.00	142.00	1.00	0.16	ND	0.0007	31.5	28
25WCDD006	142.00	143.00	1.00	0.2	ND	0.0010	47.3	31
25WCDD006	143.00	144.00	1.00	0.18	ND	0.0014	28.5	17
25WCDD006	144.00	145.00	1.00	0.28	0.01	0.0023	30.8	23
25WCDD006	145.00	146.00	1.00	0.24	0.01	0.0018	34	76
25WCDD006	146.00	147.00	1.00	0.19	0.01	0.0006	180	40
25WCDD006	147.00	148.00	1.00	1.29	0.01	0.0014	35.1	30
25WCDD006	148.00	149.00	1.00	1.38	ND	0.0006	10.6	65
25WCDD006	149.00	150.00	1.00	0.6	0.01	0.0019	26.1	18
25WCDD006	150.00	151.00	1.00	0.17	ND	0.0008	36.6	30
25WCDD006	151.00	152.00	1.00	0.37	0.01	0.0005	32.7	26
25WCDD006	152.00	153.00	1.00	0.27	ND	0.0005	34	24
25WCDD006	153.00	154.00	1.00	1.05	0.01	0.0008	18.4	19
25WCDD006	154.00	155.00	1.00	0.12	0.01	0.0010	14.2	43
25WCDD006	155.00	156.00	1.00	0.12	ND	0.0012	14.2	96
25WCDD006	156.00	157.00	1.00	0.25	ND	0.0019	17	34
25WCDD006	157.00	158.00	1.00	0.32	ND	0.0011	15.6	45
25WCDD006	158.00	159.00	1.00	0.1	ND	0.0008	26.4	51
25WCDD006	159.00	160.00	1.00	0.23	0.01	0.0007	49.9	44
25WCDD006	160.00	161.00	1.00	0.66	ND	0.0011	80.3	21
25WCDD006	161.00	162.00	1.00	0.92	0.01	0.0013	69.3	21
25WCDD006	162.00	163.00	1.00	0.17	0.01	0.0012	59.3	25
25WCDD006	163.00	164.00	1.00	0.09	ND	0.0007	27.7	21
25WCDD006	164.00	165.00	1.00	0.16	ND	0.0020	29.6	38
25WCDD006	165.00	166.00	1.00	0.18	0.01	0.0031	35.6	66
25WCDD006	166.00	167.00	1.00	0.11	0.01	0.0009	36.5	54
25WCDD006	167.00	168.00	1.00	0.1	0.01	0.0010	29.7	70
25WCDD006	168.00	169.00	1.00	0.11	0.01	0.0016	44.5	88
25WCDD006	169.00	170.00	1.00	0.17	0.02	0.0012	89.5	80
25WCDD006	170.00	171.00	1.00	0.16	0.01	0.0008	50.1	44
25WCDD006	171.00	172.00	1.00	0.7	0.01	0.0011	211	78
25WCDD006	172.00	173.00	1.00	0.33	0.01	0.0009	35	32
25WCDD006	173.00	173.50	0.50	1.3	ND	0.0029	53.3	150
25WCDD006	173.50	174.00	0.50	2.67	0.01	0.0009	33.1	67
25WCDD006	174.00	174.50	0.50	1.3	0.02	0.0015	99	124
25WCDD006	174.50	175.00	0.50	0.64	0.01	0.0018	151	167
25WCDD006	175.00	176.00	1.00	0.73	ND	0.0093	73.1	110
25WCDD006	176.00	177.00	1.00	0.74	ND	0.0009	95.4	179
25WCDD006	177.00	178.00	1.00	0.32	ND	0.0042	156	726
25WCDD006	178.00	179.00	1.00	2.4	0.01	0.0605	276	528
25WCDD006	179.00	180.00	1.00	1.73	ND	0.0029	134	293

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD006	180.00	181.00	1.00	2.05	ND	0.0020	27.7	81
25WCDD006	190.00	191.00	1.00	0.12	ND	0.0014	26.8	33
25WCDD006	191.00	192.00	1.00	0.14	ND	0.0014	31.9	42
25WCDD006	192.00	192.40	0.40	0.17	ND	0.0010	33.8	40
25WCDD007	0.00	1.00	1.00	20.4	0.01	0.0303	381	238
25WCDD007	1.00	2.00	1.00	24.8	0.01	0.0041	157.5	45
25WCDD007	2.00	3.00	1.00	20.5	0.01	0.0014	144	54
25WCDD007	3.00	4.00	1.00	16.15	0.01	0.0016	92.1	62
25WCDD007	4.00	5.00	1.00	22.5	0.01	0.0040	166	95
25WCDD007	5.00	6.00	1.00	20.7	0.02	0.0029	88.4	95
25WCDD007	6.00	7.00	1.00	18	0.01	0.0025	119	123
25WCDD007	7.00	8.00	1.00	18.9	0.01	0.0026	104	119
25WCDD007	8.00	9.00	1.00	12.3	0.01	0.0017	68.3	70
25WCDD007	9.00	10.00	1.00	20	0.01	0.0021	63.8	77
25WCDD007	10.00	11.00	1.00	15.45	0.01	0.0025	118.5	45
25WCDD007	11.00	12.00	1.00	16.4	0.01	0.0047	259	61
25WCDD007	12.00	13.00	1.00	15.1	0.01	0.0101	451	93
25WCDD007	13.00	14.00	1.00	17.8	0.01	0.0277	1475	338
25WCDD007	14.00	15.00	1.00	21.6	0.01	0.0059	642	212
25WCDD007	15.00	16.00	1.00	30.1	0.01	0.0086	963	436
25WCDD007	16.00	17.00	1.00	27.3	0.01	0.0175	2710	639
25WCDD007	17.00	18.00	1.00	23.6	0.01	0.0277	1485	438
25WCDD007	18.00	19.00	1.00	74.8	0.02	0.0500	2850	758
25WCDD007	19.00	20.00	1.00	31.6	0.01	0.1660	8610	3510
25WCDD007	20.00	21.00	1.00	12.85	0.01	0.0845	4830	1875
25WCDD007	21.00	22.00	1.00	14.35	0.01	0.0689	1945	2050
25WCDD007	22.00	23.00	1.00	61.3	0.01	0.1015	4710	2990
25WCDD007	23.00	24.00	1.00	61.3	0.02	0.1565	5450	4170
25WCDD007	24.00	25.00	1.00	121	0.01	0.0807	6870	3610
25WCDD007	25.00	26.00	1.00	18.6	0.01	0.0559	7750	1280
25WCDD007	26.00	27.00	1.00	27.5	0.01	0.0658	2720	1055
25WCDD007	27.00	28.00	1.00	6.4	0.01	0.0774	2040	1495
25WCDD007	28.00	29.00	1.00	5.75	0.03	0.1125	3360	2240
25WCDD007	29.00	30.00	1.00	4.26	0.01	0.1095	1875	1285
25WCDD007	30.00	31.00	1.00	121	0.01	0.0559	106	212
25WCDD007	31.00	32.00	1.00	23.4	0.01	0.0233	21.1	96
25WCDD007	32.00	33.00	1.00	11.7	0.01	0.0349	90.5	230
25WCDD007	33.00	34.00	1.00	15.25	0.01	0.0254	46.8	130
25WCDD007	34.00	35.00	1.00	10.95	0.01	0.0396	19	75
25WCDD007	35.00	36.00	1.00	10.35	0.01	0.0405	79.8	244
25WCDD007	36.00	37.00	1.00	11.85	0.01	0.0422	123.5	405
25WCDD007	37.00	38.00	1.00	7.8	0.01	0.0376	619	266
25WCDD007	38.00	39.00	1.00	7.19	0.01	0.0835	176.5	578
25WCDD007	39.00	40.00	1.00	4.38	0.01	0.0503	59.1	133
25WCDD007	40.00	41.00	1.00	7.97	0.01	0.0921	40.9	118
25WCDD007	41.00	42.00	1.00	3.07	0.01	0.0318	18.8	127
25WCDD007	42.00	43.00	1.00	5.42	ND	0.0520	64.2	162

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD007	43.00	44.00	1.00	9.71	0.01	0.0481	70.5	318
25WCDD007	44.00	45.00	1.00	5.12	0.01	0.0515	909	309
25WCDD007	45.00	46.00	1.00	4.31	0.01	0.0689	251	257
25WCDD007	46.00	47.00	1.00	3.78	0.01	0.0553	29.5	88
25WCDD007	47.00	48.00	1.00	5.23	0.01	0.0531	178.5	300
25WCDD007	48.00	49.00	1.00	4.47	0.01	0.0417	325	220
25WCDD007	49.00	50.00	1.00	1.88	0.01	0.0474	157.5	168
25WCDD007	50.00	51.00	1.00	2.47	0.01	0.0460	176	219
25WCDD007	51.00	52.00	1.00	1.59	ND	0.0095	4620	73
25WCDD007	52.00	53.00	1.00	1.09	ND	0.0020	46.6	24
25WCDD007	53.00	54.00	1.00	3.28	ND	0.0042	34.1	64
25WCDD007	54.00	55.00	1.00	2.46	ND	0.0020	23.1	43
25WCDD007	55.00	56.00	1.00	0.82	ND	0.0014	34.1	36
25WCDD007	56.00	57.00	1.00	0.12	ND	0.0011	8.4	30
25WCDD007	57.00	58.00	1.00	0.08	ND	0.0011	18.3	41
25WCDD007	58.00	59.00	1.00	0.05	0.03	0.0012	11.8	40
25WCDD007	59.00	60.00	1.00	0.12	ND	0.0011	605	42
25WCDD007	60.00	60.30	0.30	0.05	ND	0.0011	5.4	71
25WCDD008	0.00	1.00	1.00	19.1	ND	0.0119	185	104
25WCDD008	1.00	2.00	1.00	16.25	ND	0.0038	92.6	70
25WCDD008	2.00	3.00	1.00	18.8	ND	0.0033	161	62
25WCDD008	3.00	4.00	1.00	21.9	ND	0.0029	190	61
25WCDD008	4.00	5.00	1.00	19.6	ND	0.0025	342	66
25WCDD008	5.00	6.00	1.00	16.6	ND	0.0020	109.5	64
25WCDD008	6.00	7.00	1.00	18.85	0.01	0.0033	99.6	109
25WCDD008	7.00	8.00	1.00	16.4	ND	0.0026	232	78
25WCDD008	8.00	9.00	1.00	18.3	ND	0.0021	132.5	84
25WCDD008	9.00	10.00	1.00	19	ND	0.0021	77.9	74
25WCDD008	10.00	11.00	1.00	19.15	ND	0.0046	175.5	60
25WCDD008	11.00	12.00	1.00	21.6	ND	0.0024	75.7	73
25WCDD008	12.00	13.00	1.00	19.4	ND	0.0033	158.5	56
25WCDD008	13.00	14.00	1.00	17.75	ND	0.0043	104.5	151
25WCDD008	14.00	15.00	1.00	19.65	ND	0.0089	362	212
25WCDD008	15.00	16.00	1.00	19.75	ND	0.0062	251	163
25WCDD008	16.00	17.00	1.00	15.55	ND	0.0039	163.5	107
25WCDD008	17.00	18.00	1.00	19.05	ND	0.0032	101.5	65
25WCDD008	18.00	19.00	1.00	15.05	ND	0.0058	232	158
25WCDD008	19.00	20.00	1.00	16.6	0.01	0.0065	377	162
25WCDD008	20.00	21.00	1.00	28.9	0.01	0.0105	565	224
25WCDD008	21.00	22.00	1.00	27.3	0.01	0.0108	429	252
25WCDD008	22.00	23.00	1.00	31.8	0.01	0.0138	533	204
25WCDD008	23.00	24.00	1.00	29.9	0.01	0.0037	120	24
25WCDD008	24.00	25.00	1.00	30.8	0.01	0.0138	495	76
25WCDD008	25.00	27.00	2.00	35.3	0.01	0.0116	461	96
25WCDD008	27.00	28.00	1.00	35.4	0.01	0.0022	68.2	37
25WCDD008	28.00	29.00	1.00	44.7	ND	0.0027	28.9	64
25WCDD008	29.00	30.00	1.00	42.3	0.01	0.0023	69.5	35

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD008	30.00	31.00	1.00	29.6	0.01	0.0074	642	31
25WCDD008	31.00	33.00	2.00	27.6	0.01	0.0039	159.5	29
25WCDD008	33.00	34.20	1.20	242	0.02	0.0860	10000*	4480
25WCDD008	34.20	35.00	0.80	43	0.01	0.1445	10000*	898
25WCDD008	35.00	36.20	1.20	46	0.03	0.3850	7100	1170
25WCDD008	36.20	37.00	0.80	39.5	0.03	0.2170	10000*	1305
25WCDD008	37.00	38.00	1.00	29	0.39	0.0902	4090	1375
25WCDD008	38.00	39.00	1.00	24.6	0.02	0.1610	3630	1745
25WCDD008	39.00	39.50	0.50	175	0.02	0.0002	10000*	3380
25WCDD008	39.50	40.00	0.50	67.3	0.01	0.2410	3850	1350
25WCDD008	40.00	41.00	1.00	44.3	0.01	0.3220	1050	648
25WCDD008	41.00	42.00	1.00	4.65	0.01	0.0643	336	239
25WCDD008	42.00	43.00	1.00	6.03	0.01	0.0657	452	300
25WCDD008	43.00	44.00	1.00	8.71	0.01	0.0858	791	455
25WCDD008	44.00	45.00	1.00	138	0.01	0.0667	136.5	327
25WCDD008	45.00	46.15	1.15	905	0.01	0.1715	537	576
25WCDD008	46.15	46.40	0.25	1475	ND	0.2530	161.5	662
25WCDD008	46.40	47.00	0.60	42.9	0.01	0.1150	95.8	436
25WCDD008	47.00	48.00	1.00	40.5	0.01	0.0994	142	461
25WCDD008	48.00	49.00	1.00	164	0.01	0.0658	83.1	256
25WCDD008	49.00	50.00	1.00	121	ND	0.0347	76.8	150
25WCDD008	50.00	51.00	1.00	16.4	0.01	0.0285	102	297
25WCDD008	51.00	52.00	1.00	11.4	ND	0.0635	158	325
25WCDD008	52.00	53.00	1.00	6.71	ND	0.0351	168.5	229
25WCDD008	53.00	54.00	1.00	9.26	ND	0.0244	216	426
25WCDD008	54.00	55.00	1.00	4.83	ND	0.0465	306	291
25WCDD008	55.00	56.00	1.00	7.2	ND	0.0685	1175	770
25WCDD008	56.00	57.00	1.00	5.79	0.01	0.0055	1700	1150
25WCDD008	57.00	58.00	1.00	34.1	ND	0.0630	1625	488
25WCDD008	58.00	59.00	1.00	76.2	0.01	0.0583	114.5	132
25WCDD008	59.00	60.00	1.00	15.9	ND	0.0387	83.5	218
25WCDD008	60.00	61.00	1.00	7.88	ND	0.0282	62.2	163
25WCDD008	61.00	62.00	1.00	8.63	ND	0.0456	139	332
25WCDD008	62.00	63.15	1.15	3.43	ND	0.0256	38.8	197
25WCDD009	7.00	8.00	1.00	4.78	ND	0.1075	3	83
25WCDD009	8.00	9.00	1.00	3.37	0.01	0.0641	2.5	79
25WCDD009	9.00	10.00	1.00	3.2	ND	0.0452	33.9	79
25WCDD009	19.00	20.00	1.00	23.7	ND	0.2010	161.5	173
25WCDD009	20.00	21.00	1.00	18.3	ND	0.1550	4.4	93
25WCDD009	21.00	22.00	1.00	22.2	0.01	0.1880	9.4	110
25WCDD009	22.00	23.00	1.00	25.3	ND	0.2180	168.5	194
25WCDD009	23.00	24.00	1.00	13.5	0.01	0.1105	14.1	88
25WCDD009	24.00	25.00	1.00	14.55	0.01	0.1300	4.8	89
25WCDD009	25.00	26.00	1.00	7.18	0.01	0.0612	3.7	85
25WCDD009	26.00	27.00	1.00	19.15	0.01	0.1600	8.2	88
25WCDD009	27.00	28.00	1.00	12.2	ND	0.0894	8.4	67
25WCDD009	28.00	29.00	1.00	13.95	0.01	0.1030	3.2	63

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD009	29.00	30.00	1.00	13.65	0.01	0.0972	2.4	69
25WCDD009	30.00	31.00	1.00	12.95	ND	0.0785	2.8	64
25WCDD009	31.00	32.00	1.00	12.85	ND	0.0887	2	69
25WCDD009	32.00	33.00	1.00	3.59	ND	0.0299	2.6	93
25WCDD009	33.00	34.00	1.00	13.9	ND	0.0943	4.8	321
25WCDD009	34.00	35.00	1.00	7.15	ND	0.0410	9.1	159
25WCDD009	35.00	36.00	1.00	10.45	ND	0.0757	63.1	265
25WCDD009	36.00	37.00	1.00	59.9	ND	0.0379	36.8	244
25WCDD009	37.00	38.00	1.00	6.31	0.01	0.0728	40.6	537
25WCDD009	38.00	38.75	0.75	19.1	0.01	0.0853	131.5	819
25WCDD009	38.75	39.25	0.50	4.3	0.01	0.0527	81.7	529
25WCDD009	39.25	39.75	0.50	104	0.02	0.0921	1940	2670
25WCDD009	39.75	40.50	0.75	0.86	0.02	0.0390	57.4	322
25WCDD009	40.50	41.00	0.50	7.27	0.02	0.0438	105	386
25WCDD009	41.00	42.00	1.00	4.4	0.01	0.0452	1365	993
25WCDD009	42.00	44.00	2.00	12.8	0.01	0.0434	4190	979
25WCDD009	44.00	45.00	1.00	2.32	ND	0.1930	5020	1795
25WCDD009	45.00	45.90	0.90	89	0.12	0.3090	3890	860
25WCDD009	45.90	47.05	1.15	99.6	0.01	0.6310	1165	948
25WCDD009	47.05	48.00	0.95	27.1	0.02	0.0268	776	193
25WCDD009	48.00	49.00	1.00	43	0.01	0.0055	641	80
25WCDD009	49.00	50.00	1.00	14	ND	0.0080	920	103
25WCDD009	50.00	50.70	0.70	6.54	0.01	0.0036	988	259
25WCDD009	52.30	53.00	0.70	16.2	0.01	0.0021	53.9	37
25WCDD009	53.00	54.00	1.00	21.7	ND	0.0017	94.7	66
25WCDD009	54.00	55.00	1.00	11.35	0.01	0.0014	150	144
25WCDD009	55.00	56.00	1.00	4.43	0.01	0.0015	67.1	50
25WCDD009	56.00	57.00	1.00	2.48	ND	0.0021	34.1	51
25WCDD009	57.00	58.00	1.00	1.66	ND	0.0030	40.9	43
25WCDD009	58.00	59.00	1.00	2.04	ND	0.0026	34.9	39
25WCDD009	59.00	60.10	1.10	1.39	0.01	0.0025	47.6	30
25WCDD010	7.00	8.00	1.00	1.32	ND	0.0334	5.7	70
25WCDD010	8.00	9.00	1.00	1.97	ND	0.0303	6.7	83
25WCDD010	9.00	10.00	1.00	4.28	0.01	0.1010	6.1	82
25WCDD010	10.00	11.00	1.00	2.12	0.01	0.0463	3	66
25WCDD010	11.00	12.00	1.00	3.9	ND	0.0752	51.1	83
25WCDD010	20.00	21.00	1.00	3.3	ND	0.0517	4.4	78
25WCDD010	21.00	22.00	1.00	6.83	0.01	0.0769	12.8	86
25WCDD010	22.00	23.00	1.00	7.42	0.01	0.0840	5.8	86
25WCDD010	23.00	24.00	1.00	7.06	0.01	0.0699	9.6	88
25WCDD010	24.00	25.00	1.00	24.7	0.01	0.2660	83.3	287
25WCDD010	25.00	26.00	1.00	13	0.01	0.1285	72.6	104
25WCDD010	26.00	27.00	1.00	9.5	0.01	0.1090	17.4	97
25WCDD010	27.00	28.00	1.00	6.36	0.01	0.0621	5	70
25WCDD010	28.00	29.00	1.00	9.9	0.01	0.1050	10.3	77
25WCDD010	29.00	30.00	1.00	9.54	0.01	0.0962	16.4	75
25WCDD010	30.00	31.00	1.00	4.27	0.01	0.0435	1.7	60

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Pb (ppm)	Zn (ppm)
25WCDD010	31.00	32.00	1.00	7.41	0.01	0.0673	34.6	80
25WCDD010	32.00	33.00	1.00	9.44	0.01	0.1165	67.9	101
25WCDD010	33.00	34.00	1.00	3.03	0.01	0.0216	1.8	62
25WCDD010	34.00	35.00	1.00	6.31	ND	0.0575	4.6	58
25WCDD010	35.00	36.00	1.00	11.3	ND	0.0574	1.6	57
25WCDD010	36.00	37.00	1.00	4.97	ND	0.0543	1.7	59
25WCDD010	37.00	38.00	1.00	6.3	ND	0.0636	4.8	62
25WCDD010	38.00	39.00	1.00	4.32	ND	0.0280	2.3	59
25WCDD010	39.00	40.00	1.00	4.78	0.01	0.0410	12.6	62
25WCDD010	40.00	41.00	1.00	2.45	0.01	0.0276	26.9	67
25WCDD010	41.00	42.00	1.00	6.77	0.01	0.0478	17.4	65
25WCDD010	42.00	43.00	1.00	5.8	0.01	0.0545	26.7	159
25WCDD010	43.00	44.00	1.00	13.6	0.01	0.0787	52.6	419
25WCDD010	44.00	45.00	1.00	12.55	0.01	0.0814	79.5	172
25WCDD010	45.00	46.00	1.00	14.7	0.01	0.0793	95.9	190
25WCDD010	48.00	49.00	1.00	22.3	0.01	0.1115	67.3	402
25WCDD010	49.00	50.00	1.00	12.65	0.01	0.0178	12.8	88
25WCDD010	50.00	51.00	1.00	20.4	0.01	0.0596	36.2	118
25WCDD010	51.00	52.00	1.00	5.26	0.01	0.0184	53.7	199
25WCDD010	52.00	53.00	1.00	4.8	0.01	0.0330	38.5	270
25WCDD010	53.00	54.00	1.00	5.22	0.01	0.0204	36.3	119
25WCDD010	54.00	54.70	0.70	17.55	0.01	0.0302	59.5	149
25WCDD010	54.70	56.20	1.50	11.75	0.01	0.1675	4390	5670
25WCDD010	56.20	57.00	0.80	4.91	0.02	0.0709	1005	958
25WCDD010	57.00	58.00	1.00	2.36	0.01	0.1310	135.5	1235
25WCDD010	58.00	59.00	1.00	12.35	0.03	0.1330	124	437
25WCDD010	59.00	60.00	1.00	8.78	0.01	0.0301	111.5	160
25WCDD010	60.00	61.00	1.00	16.25	0.01	0.0769	82.8	218
25WCDD010	61.00	62.00	1.00	19.8	0.01	0.0711	27.8	103
25WCDD010	62.00	63.00	1.00	6.82	0.01	0.0208	1685	165
25WCDD010	63.00	64.00	1.00	29.9	0.01	0.0752	95.2	215
25WCDD010	64.00	65.00	1.00	144	0.01	0.0721	17.2	79
25WCDD010	65.00	66.40	1.40	408	0.01	0.0469	9.8	95

Notes: ND = not detected; * Above the upper detection limit of 10,000ppm